

481  
a detecting device for detecting an attachment of said external memory to said image pickup apparatus; and

a control device for transferring the control data stored in said built-in memory to said external memory, if the attachment of said external memory is detected by said detecting device.

Sub 017  
58. (Amended) An image reproduction apparatus for reproducing an image data stored in a detachable recording medium recording a plurality of image data together with a designation data which designates a standard image data for controlling from among said plurality of image data, comprising:

a detecting device for detecting said standard image data of the plurality of image data, on the basis of the designation data recorded on said recording medium, and

122  
a control device for generating a control value for processing the plurality of image data, on the basis of said standard image data detected by said detecting device, and processing the plurality of image data by using the control value.

5. 59. (Amended) An apparatus according to claim 58, further comprising a display processing device for displaying a reproduced image of the standard image data as well as the standard image data on a same image window.

Sub 027  
60. (Amended) An apparatus according to claim 58, further comprising a display processing device for displaying a reproduced image of the image data processed by said control device among the plurality of image data on a same image window.

61. (Amended) An image pickup apparatus for photographing an object to record a plurality of image data on a detachable recording medium, comprising:

a designating device for designating an image data of the plurality of image data, to be recorded on said recording medium, as a standard image data for white balance control at the time of reproduction; and

102  
a designated image data recording device for recording a designating data for designating the standard image data.

62. (Amended) A method of transferring a color image signal to an external memory using an image pickup apparatus, comprising:

generating with an image sensor a color image signal;

storing in a built-in memory control data for processing the color image signal which is transferred to said external memory;

detecting an attachment of said external memory to said image pickup apparatus; and

transferring the control data stored in said built-in memory to said external memory with a control device, if the attachment of said external memory is detected in said detecting step.

Sub 03  
69. (Amended) A method of image reproduction for reproducing an image data stored in a detachable recording medium recording a plurality of image data together with a designation data which designates a standard image data for controlling from among said plurality of image data, comprising:

103  
detecting said standard image data on the basis of the designation data recorded on said recording medium;

generating a control value for processing the plurality of image data, on the basis of said standard image data detected by said detecting device; and

processing the plurality of image data by using the control value.

Sub 04  
104  
71. (Amended) A method according to claim 69, further comprising displaying a reproduced image of the image data processed by said control device among the plurality of image data on a same image window.

72. (Amended) A method for photographing an object to record a plurality of image data on a detachable recording medium, comprising:

designating an image data of the plurality of the image data, to be recorded on said recording medium, as a standard image data for white balance control at the time of reproduction; and

recording a designating data for designating the standard image data.

Add claims 73 to 76 as follows:

12 73. An apparatus according to claim 58, wherein said control value is a white balance control value.

9/05/74. An apparatus according to claim 58 wherein said control value is a white balance control value.

14 75. A method according to claim 69, wherein said control value is a white balance control value

15 76. A method according to claim 72, wherein said control value is a white balance control value.

#### REMARKS

Claims 51, 58-62, 69, 71 and 72 have been amended. Claims 73-76 have been added.

Enclosed is our check in the amount of \$54.00 in payment of the fee for the added claims.

Please charge any other fees for the entry of this Amendment to our Deposit account 18-1644.

Attached hereto is a marked-up version of the changes made to the claims by this Amendment. The marked-up version has been entitled "Version With Markings To Show Changes Made."